Information Processing Letters 27 (1988) 329–330
North-Holland

13 May 1988

AUTHOR INDEX VOLUME 27 (1988)

(The issue number is given in front of the page numbers)

Atallah, M.J., G.N. Frederickson and S.R. Kosaraju, Sorting with efficient use of special-purpose sorters (1) 13–15

Baader, F., A note on unification type zero (2) 91–93
Balakrishnan, M., S. Sutarwala, A.K. Majumdar, D.K. Banerji, J.G. Linders and J.C. Majithia, A semantic approach for modular synthesis of VLSI systems (1) 1–7
Banerji, D.K., *see* **Balakrishnan, M.** (1) 1–7
Berman, J. and W.J. Blok, Positive Boolean dependencies (3) 147–150
Berman, L., *see* **Chang, J.H.** (1) 53
Bertossi, A.A., Parallel circle-cover algorithms (3) 133–139
Blok, W.J., *see* **Berman, J.** (3) 147–150
Bodlaender, H.L., A better lower bound for distributed leader finding in bidirectional, asynchronous rings of processors (6) 287–290
Bonnier, S., *see* **Leszczylowski, J.** (3) 159–165
Bugrara, K.M. and P.W. Purdom, An exponential lower bound for the pure literal rule (4) 215–219

Chandran, S. and A. Rosenfeld, Order statistics on a hypercube (3) 129–132
Chang, C.C. and C.H. Chang, An ordered minimal perfect hashing scheme with single parameter (2) 79–83
Chang, C.H., *see* **Chang, C.C.** (2) 79–83
Chang, J.H., O.H. Ibarra, B. Ravikumar and L. Berman, Some observations concerning alternating Turing machines using small space (*Erratum*) (1) 53
Chlebus, B.S., A parallel bucket sort (2) 57–61
Cook, S.A. and M. Luby, A simple parallel algorithm for finding a satisfying truth assignment to a 2-CNF formula (3) 141–145

Daley, R., *see* **Ramarao, K.V.S.** (4) 169–174
De Luca, A. and S. Varricchio, On the factors of the Thue–Morse word on three symbols (6) 281–285

Esfahanian, A.-H. and S.L. Hakimi, On computing a conditional edge-connectivity of a graph (4) 195–199

Faigle, U. and R. Schrader, On the convergence of stationary distributions in simulated annealing algorithms (4) 189–194
Fernández-Baca, D., Nonserial dynamic programming formulations of satisfiability (6) 323–326
Frederickson, G.N., *see* **Atallah, M.J.** (1) 13–15
Frieze, A.M., On the random construction of heaps (2) 103–109

Gabow, H.N. and R.E. Tarjan, A linear-time algorithm for finding a minimum spanning pseudoforest (5) 259–263
Gibbons, A.M., A. Israeli and W. Rytter, Parallel O(log *n*) time edge-colouring of trees and Halin graphs (1) 43–51

Hakimi, S.L., *see* **Esfahanian, A.-H.** (4) 195–199
Hirai, H., *see* **Itano, K.** (5) 253–258
Holenderski, L. and A. Szalas, Propositional description of finite cause-effect structures (3) 111–117
Hsu, M. and S.E. Madnick, Shifting timestamps for concurrency control in an information hierarchy (6) 291–297
Huang, X., A lower bound for the edit-distance problem under an arbitrary cost function (6) 319–321

Ibarra, O.H., *see* **Chang, J.H.** (1) 53
Israeli, A., *see* **Gibbons, A.M.** (1) 43–51
Itano, K., Y. Sato, H. Hirai and T. Yamagata, An incremental pattern matching algorithm for the pipelined lexical scanner (5) 253–258

Johnson, D.S., M. Yannakakis and C.H. Papadimitriou, On generating all maximal independent sets (3) 119–123
Josephs, M.B., The data refinement calculator for Z specifications (1) 29–33
Jung, H. and K. Mehlhorn, Parallel algorithms for computing maximal independent sets in trees and for updating minimum spanning trees (5) 227–236

Koo, R. and S. Toueg, Effects of message loss on the termination of distributed protocols (4) 181–188
Kosaraju, S.R., *see* **Atallah, M.J.** (1) 13–15
Krishnaprasad, T., On the computability of circumscription (5) 237–243
Křivánek, M., The complexity of ultrametric partitions on graphs (5) 265–270

0020-0190/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Kumar, A. and **V.M. Malhotra**, A new computation rule for PROLOG (5) 249–252
Kutten, S., Optimal fault-tolerant distributed construction of a spanning forest (6) 299–307

Lea, D., Digital and Hilbert *k*-d trees (1) 35– 41
Leszczylowski, J., S. Bonnier and **J. Maluszyński**, Logic programming with external procedures: Introducing *S*-unification (3) 159–165
Linders, J.G., *see* **Balakrishnan, M.** (1) 1– 7
Liu, R. and **S. Ntafos**, On decomposing polygons into uniformly monotone parts (2) 85– 89
Luby, M., *see* **Cook, S.A.** (3) 141–145
Lyon, G., A tagless marking that is linear over subtrees (1) 23– 28

Madnick, S.E., *see* **Hsu, M.** (6) 291–297
Majithia, J.C., *see* **Balakrishnan, M.** (1) 1– 7
Majumdar, A.K., *see* **Balakrishnan, M.** (1) 1– 7
Malhotra, V.M., *see* **Kumar, A.** (5) 249–252
Maluszyński, J., *see* **Leszczylowski, J.** (3) 159–165
Matoušek, J., Line arrangements and range search (6) 275–280
Melhorn, K., A faster approximation algorithm for the Steiner problem in graphs (3) 125–128
Mehlhorn, K., *see* **Jung, H.** (5) 227–236
Melhem, R., *see* **Ramarao, K.V.S.** (4) 169–174
Ming Li, A separator theorem for one-dimensional graphs under linear mapping (1) 9– 11
Miyano, S., A parallelizable lexicographically first maximal edge-induced subgraph problem (2) 75– 78

Ntafos, S., *see* **Liu, R.** (2) 85– 89

Orlowska, E., Proof system for weakest prespecification (6) 309–313

Pandu Rangan, C., *see* **Ramalingam, G.** (1) 17– 21
Pandu Rangan, C., *see* **Ramalingam, G.** (5) 271–274
Papadimitriou, C.H., *see* **Johnson, D.S.** (3) 119–123
Patterson, N.J. and **K.J. Supowit**, Finding the vertices nearest to a point in a hypercube (2) 99–102
Purdom, P.W., *see* **Bugrara, K.M.** (4) 215–219

Ramalingam, G. and **C. Pandu Rangan**, Total domination in interval graphs revisited (1) 17– 21
Ramalingam, G. and **C. Pandu Rangan**, A unified approach to domination problems on interval graphs (5) 271–274
Ramarao, K.V.S., R. Daley and **R. Melhem**, Message complexity of the set intersection problem (4) 169–174
Ravikumar, B., *see* **Chang, J.H.** (1) 53
Roelants van Baronaigien, D. and **F. Ruskey**, Generating *t*-ary trees in A-order (4) 205–213
Rohnert, H., Time and space efficient algorithms for shortest paths between convex polygons (4) 175–179
Rosenfeld, A., *see* **Chandran, S.** (3) 129–132
Ruskey, F., *see* **Roelants van Baronaigien, D.** (4) 205–213
Rytter, W., *see* **Gibbons, A.M.** (1) 43– 51

Sakkinen, M., Letter to the Editor (6) 327–328
Sandhu, R.S., Cryptographic implementation of a tree hierarchy for access control (2) 95– 98
Sato, Y., *see* **Itano, K.** (5) 253–258
Savage, C., Recognizing majority on a one-way mesh (5) 221–225
Schrader, R., *see* **Faigle, U.** (4) 189–194
Singhal, M. and **Y. Yesha**, A polynomial algorithm for computation of the probability of conflicts in a database under arbitrary data access distribution (2) 69– 74
Sridhar, M.A., On the connectivity of the De Bruijn graph (6) 315–318
Supowit, K.J., *see* **Patterson, N.J.** (2) 99–102
Sutarwala, S., *see* **Balakrishnan, M.** (1) 1– 7
Szalas, A., *see* **Holenderski, L.** (3) 111–117
Szepietowski, A., Remarks on languages acceptable in log log *n* space (4) 201–203

Tarjan, R.E., *see* **Gabow, H.N.** (5) 259–263
Toueg, S., *see* **Koo, R.** (4) 181–188
Tsin, Y.H., On handling vertex deletion in updating minimum spanning trees (4) 167–168

Varricchio, S., *see* **De Luca, A.** (6) 281–285

Watanabe, O., On hardness of one-way functions (3) 151–157
Weems, B.P., A study of page arrangements for extendible hashing (5) 245–248
Witaszek, J., A practical method for finding the optimum postponement transformation for LR(k) parsers (2) 63– 67

Yamagata, T., *see* **Itano, K.** (5) 253–258
Yannakakis, M., *see* **Johnson, D.S.** (3) 119–123
Yesha, Y., *see* **Singhal, M.** (2) 69– 74